



FEARLESS PERFORMANCE®

**116.592**


Touchscreen Compatible Cut resistant gloves
Protector



Typhoon® material, sandy nitrile coating.

- Recommended when operating with Touch Screen Devices.
- Very good protection against cut injuries (EN 388:2016 level D) combined with superior abrasion resistance.
- Resistant to contact heat up to 100°C for 15 seconds.
- Especially good flexibility and freedom of movement and very comfortable (18-gauge thread technology).
- Reinforced thumb crotch provides extended use life.
- Ideal for precision handling in wet or oily conditions.
- Typhoon® is one of the strongest fibres in the world.
- OEKO-TEX® 100 Approved.

Standards and Approvals



Suitable for:

Touch screen applications | Work tasks with very high requirements for abrasion resistance, cut protection and touch sensitivity.



Breathable



Cut Resistant



Precision

Thumb base
reinforcementTouchscreen
Compatible

CATEGORY:

Cut Resistant Gloves

INDUSTRY:

Automotive
Building and Construction
Forestry
Glass
Maintenance
Oil, Gas and Mining
Pulp and Paper
Steel and Metal
Waste/recycling

STANDARDS AND APPROVALS:

EN 420:2003 + A1:2009
EN 407:2004
EN 388:2016+A1:2018
OEKO-TEX® Standard 100
ANSI/ISEA 105-2016
CE Cat.II

PROTECTION AND RESISTANCE:

Abrasion Resistant
Cut Resistant
Puncture Resistant
Tear Resistant

FEATURES AND PROPERTIES:

Breathable
Precision
Seamless
Thumb base reinforcement
Touchscreen Compatible



PRODUCT DETAILS

| | |
|--------------------|-------------|
| Liner material : | Typhoon® |
| Coating material : | Nitrile |
| Coating type : | Palm coated |
| Grip : | Dry, Oil |
| Glove fit : | Tight fit |

| | |
|---------|------------------------------|
| Size : | 6 7 8 9 10 11 12 |
| Color : | Black, Grey |

PACKING / TRANSPORT

| |
|---------------------------------|
| Sales Units Per Bundle: 12 |
| Sales Units Per Outer Case: 144 |